



- [1] **ACCEPTANCE NOTIFICATION OF QUALITY ASSURANCE PRODUCTION PROCESS - Translation**
- [2] Equipment or protective systems intended for use in potentially explosive atmospheres as well as components intended for use in these products, Directive 2014/34/EU
- [3] Notification number **IBExU21ATEXQ028** | Issue 0
- [4] Product-category(ies): **Ethernet Communications Electronics**  
electrical equipment of equipment-groups I and II, category M1, 1 G and 1 D, with types of protection e, op is
- [5] Manufacturer: PRIMATION Systemtechnik GmbH & Co. KG
- [6] Address: Bretonischer Ring 13  
85630 Grasbrunn  
GERMANY
- [7] Production site(s): Sigmann Elektronik GmbH  
Hauptstraße 53  
74928 Hüffenhardt  
GERMANY
- [8] IBExU Institut für Sicherheitstechnik GmbH, notified body number 0637 in accordance with Article 17 of Directive 2014/34/EU of the European Parliament and of the Council, dated 26 February 2014, certifies that the manufacturer maintains a quality assurance system for production, final product inspection and testing of the named product-category(ies) at the named production site(s) that fulfils the requirements given in Annex IV to the Directive.
- [9] This notification is based on the confidential audit report IB-21-6-0050 of 2022-03-09. The notification is valid until 2024-11-07. This notification can be withdrawn if the manufacturer no longer satisfies the requirements of Annex IV. Results of surveillance audits are part of this notification.
- [10] According to Directive 2014/34/EU the products mentioned under [4] should be marked with the identification number 0637 of IBExU as the notified body that was involved in the production control phase, optionally in conjunction with the CE marking.

IBExU Institut für Sicherheitstechnik GmbH  
Fuchsmühlenweg 7  
09599 Freiberg, GERMANY

Tel: + 49 (0) 37 31 / 38 05 0  
Fax: + 49 (0) 37 31 / 38 05 10

By order

Certificates without signature and seal are not valid. Certificates may only be duplicated completely and unchanged. In case of dispute, the German text shall prevail.

Dipl.-Ing. Willamowski



Freiberg, 2022-03-11